

Level 1 SFRA Local Plan Sites Assessment

27 October 2023

Plan Sites Assessment		Fluvial Flood Zone Coverage										Risk of Flooding from Surface Water										Risk of Flooding from Fluvial Climate Change										Risk of Flooding from Surface Water Climate Change		
		Flood Zone 1				Flood Zone 2				Flood Zone 3a				Flood Zone 3b				Low Risk (1 in 1000 year outline)		Medium Risk (1 in 100 year outline)		High Risk (1 in 30 year outline)		1 in 100 year MFO		1 in 100 year MFO + Central Climate Change		1 in 100 year MFO + Higher Central Climate Change		1 in 1000 year MFO + Higher Central Climate Change		FZIs + Climate Change (additional risk)	Medium risk + Low risk outline used as proxy)	
		Proposed Use		Number of Sites	Area (ha)	Area (ha)	No.	100%	Area (ha)	No.	Area (ha)	No.	Area (ha)	No.	Area (ha)	No.	Area (ha)	No.	Area (ha)	No.	Area (ha)	No.	Area (ha)	No.	Area (ha)	No.	Area (ha)	No.	Area (ha)	No.	Area (ha)	No.	Area (ha)	No.
		Housing	1213	2729.05	2761.38	1103	59.72	162	13.86	62	102.09	268	245.30	886	40.57	591	43.74	420	70	2.48	47	1.98	38	6.48	52	2.44	11	4.65	21	20.90	67			
		Employment	183	457.63	399.38	122	19.07	49	6.50	21	33.05	51	66.61	140	9.88	113	10.76	77	21.55	23	2.14	0.46	13	4.65	21	20.90	67							
		TOTAL	1396	3385.88	3160.75	1125	60.79	211	20.16	83	135.17	319	301.91	1036	50.95	704	54.50	497	75.19	93	8.62	57	1.44	51	18.55	32	16.05	88						

Key	
Flood Zone 3b + Flood Zone 3b plus climate change	The colour coding shows the highest risk element of the flood zone that is present on site and is not in itself an indication of whether the site should or shouldn't be developed for flooding reasons
Flood Zone 3a + Flood Zone 3a plus climate change	
Flood Zone 2	
Flood Zone 1 and Surface Water + Flood Zone 1 and Surface Water plus climate change	

[illegible]

[illegible]

Site Reference	Site Name	Proposed Use	Fluvial Flood Zone Coverage												Risk of Flooding from Surface Water						Risk of Flooding from Fluvial Climate Change								Risk of Flooding from Surface Water Climate Change						
			Flood Zone 1			Flood Zone 2			Flood Zone 3a			Flood Zone 3b			Low Risk (1 in 100 year return)		Medium Risk (1 in 100 year return)		High Risk (1 in 30 year return)		1 in 100 year MFD (present day)		1 in 100 year MFD + Central Climate Change (additional risk)		1 in 100 year MFD + Higher Central Climate Change (additional risk)		1 in 100 year MFD + Upper End Climate Change (additional risk)		F22+ Upper End Climate Change (additional risk)		Medium risk + Climate Change (additional risk)	Food Risk Vulnerability Classification (NPPF)	Level 1 Strategic Recommendation (see SFRA Report)	Development Considerations	Recommended Next Steps
			Area (ha)	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%				
C0147	Land between Westgate and Grattan Road	Housing	0.0394	0.0394	100.000%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LPA to make decision on allocation.
C0148	Irenevan Street	Housing	0.0541	0.0541	99.991%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Withdrawal from allocation or carry out Level 2 SFRA.
C0149	Railway goods yard at Upper Park Gate	Housing	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Development can be allocated on flood risk grounds based on the evidence of this Level 1 SFRA.
C0150	148 and 150 Subridge Road	Housing	0.0242	0.0242	100.000%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Level 2 SFRA required due to surface water.
C0151	Jessies, corner of Rebecca St and Longcroft Link	Housing	0.0020	0.0020	100.000%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Development can be allocated on flood risk grounds based on the evidence of this Level 1 SFRA.
C0152	50 Chapel Street	Housing	0.0183	0.0183	100.000%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Development can be allocated on flood risk grounds based on the evidence of this Level 1 SFRA.
C0153	Aston house Chapel Street and car park	Housing	0.0827	0.0827	100.000%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	LPA to make decision on allocation.
C0154	Collette Avenue, Leeds Road	Housing	0.0621	0.0621	99.997%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Development can be allocated on flood risk grounds based on the evidence of this Level 1 SFRA.
C0155	Fulton Street/Subridge Road	Housing	0.4975	0.4484	92.1463%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Level 2 SFRA required.
C0103H	Land and buildings south of Subridge Road	Housing	0.8792	0.8792	100.000%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Level 2 SFRA required due to surface water.
C0110H	Wyeon Street	Housing	0.0529	0.0139	100.000%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Development can be allocated on flood risk grounds based on the evidence of this Level 1 SFRA.
C0123H	City Wings Top of Town	Housing	2.8129	2.8125	100.000%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Level 2 SFRA required due to surface water.
C0124H	Collette Avenue, Leeds Road	Housing	0.0621	0.0621	99.997%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Development can be allocated on flood risk grounds based on the evidence of this Level 1 SFRA.
C0125H	Collette Avenue, Leeds Road	Housing	0.0621	0.0621	99.997%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Development can be allocated on flood risk grounds based on the evidence of this Level 1 SFRA.
C0126H	Collette Avenue, Leeds Road	Housing	0.0621	0.0621	99.997%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Development can be allocated on flood risk grounds based on the evidence of this Level 1 SFRA.
C0127H	Collette Avenue, Leeds Road	Housing	0.0621	0.0621	99.997%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Development can be allocated on flood risk grounds based on the evidence of this Level 1 SFRA.
C0128H	Collette Avenue, Leeds Road	Housing	0.0621	0.0621	99.997%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Development can be allocated on flood risk grounds based on the evidence of this Level 1 SFRA.
C0129H	Collette Avenue, Leeds Road	Housing	0.0621	0.0621	99.997%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Development can be allocated on flood risk grounds based on the evidence of this Level 1 SFRA.
C0130H	Collette Avenue, Leeds Road	Housing	0.0621	0.0621	99.997%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Development can be allocated on flood risk grounds based on the evidence of this Level 1 SFRA.
C0131H	Collette Avenue, Leeds Road	Housing	0.0621	0.0621	99.997%	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.000								

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Site Reference	Site Name	Proposed Use	Flood Risk Zone 1				Flood Risk Zone 2				Flood Risk Zone 3a				Flood Risk Zone 3b				Low Risk (1 in 100 year outline)				Medium Risk (1 in 100 year outline)				High Risk (1 in 30 year outline)				1 in 100 year MFO (present day)				1 in 100 year MFO + Central Climate Change (additional risk)				1 in 100 year MFO + Upper End Climate Change (additional risk)				FZ2b + Upper End Climate Change (additional risk)				Medium risk + Climate Change (additional risk)				Flood Risk Vulnerability Classification (NPFF)	Level 1 Strategic Recommendation (see SFRA Report)	Development Considerations	Recommended Next Steps																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
			Area (ha)	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%	Area (ha)	%																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
SH027	Brigley Road, Nailwood	Housing	5,475.0	5,458.8	99.5584	0.0021	0.0378	0.0178	0.3249	0.0043	0.0780	0.0673	1.2300	0.0048	0.4083	0.0178	0.3216	0.0221	0.4033	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	1.2300	More Vulnerable	Further investigation recommended - review and refine developable area based on flood risk	Development not permitted in Flood Zone 3b. Check whether site boundary can be redrawn or whether it may be possible to incorporate functional floodplain into site layout and design as open green space. This may be possible for sites where percentage area of functional floodplain is lower. Site should be withdrawn if these criteria cannot be met. A Level 2 SFRA may be required to inform this process.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
SH037	Hollin Hall Farm, High Bank Lane, Shipley	Housing	4,181.8	4,181.8	100.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.00

[illegible]

[illegible]

[illegible]